Journal of Pharmaceutical and Biomedical Analysis

Volume 9 1991

LIST OF CONTENTS

Number 1

A. F. Fell and C. M. Riley	i	Editorial
Full Papers		
C. Confalonieri, G. Cristina and M. Farina	1	The use of a new laser particle sizer and shape analyser to detect and evaluate gelatinous microparticles suspended in reconstituted anthracycline infusion solutions
A. G. Lynn and G. W. Bennett	9	Development of a radioimmunoassay for RX77368 (*p*Glu-His-3,3-dimethyl proline amide)—a stable analogue of thyrotrophin releasing hormone (TRH)
C. D. Bates, D. G. Watson, N. Willmott, H. Logan and J. Golberg	19	The analysis of 5-fluorouracil in human plasma by gas chromatography–negative ion chemical ionization mass spectrometry (GC–NICIMS) with stable isotope dilution
F. T. Delbeke and M. Debackere	23	The influence of diuretics on the excretion and metabolism of doping agents—V. Dimefline
H. G. Parkes, R. E. Allen, A. Furst, D. R. Blake and M. C. Grootveld	29	Speciation of non-transferrin-bound iron ions in synovial fluid from patients with rheumatoid arthritis by proton nuclear magnetic resonance spectroscopy
C. E. Uboh, J. A. Rudy, L. R. Soma, M. Fennell, L. May, R. Sams, F. A. Railing, J. Shellenberger and M. Kahler	33	Characterization of bromhexine and ambroxol in equine urine: effect of furosemide on identification and confirmation
A. P. Cheung, R. Mavar, C. Carlson and W. K. Chiang	41	Problems affecting the liquid chromatographic quantitation of chlorhexidine digluconate in ophthalmic solutions
J. Boos	47	A simple isocratic ion-pair high-performance liquid chromatographic determination of 1-β-D-arabinofuranosylcytosine 5′-triphosphate for intracellular drug-monitoring and *in vitro* incubation assays
D. N. Mallett and B. Law	53	Demonstration of the compatibility of narrow-bore packed column high-performance liquid chromatography with conventional detection systems
T. Wikberg and J. Taskinen	59	Determination of a catechol-*O*-methyltransferase inhibitor, nitecapone, in human plasma and urine by liquid chromatography
J. Hansen-Møller and U. Schmit	65	Rapid high-performance liquid chromatographic assay for the simultaneous determination of probenecid and its glucuronide in urine. Irreversible binding of probenecid to serum albumin
Short Communications		
H. G. Parkes, M. C. Grootveld, E. B. Henderson, A. Farrell and D. R. Blake	75	Oxidative damage to synovial fluid from the inflamed rheumatoid joint detected by ^{1}H NMR spectroscopy
M. El Sadek, H. Abdel Latef and A. Aboul Khier	83	Spectrophotometric determination of terbutaline and orciprenaline sulphate through diazo coupling with *o*-nitroaniline and *p*-aminobenzoic acid
M. El Sadek, A. El Shanawany, A. Aboul Khier and G. Rücker	87	Quantitative determination of analgesic mixture of phenazone, phenacetin and caffeine in the presence of some of their degradation products
J. Y. Y. Wong, E. J. D. Lee and S. B. Ang	91	Liquid chromatographic assay with ultraviolet detection for the study of microsomal steroid metabolism

Number 2

Full Papers

Y. K. Agrawal and K. Shivramchandra — 97 — Spectrophotometric determination of diclofenac sodium in tablets

F. Ibrahim, F. Belal, S. M. Hassan and F. A. Aly — 101 — Spectrophotometric determination of some MAO inhibitors using 7,7,8,8-tetracyanoquinodimethane and iodine monochloride

J. M. García Fraga, A. I. Jiménez Abizanda, F. Jiménez Moreno and J. J. Arias León — 109 — Simultaneous determination of imipramine and amitryptiline by derivative spectrophotometry

J. J. Berzas Nevado, F. Salinas, I. De Orbe Paya and L. F. Capitán-Vallvey — 117 — Simultaneous determination of sulphathiazole and sulphanilamide in pharmaceuticals by derivative spectrophotometry

T. Pérez-Ruiz, M. C. Martínez-Lozano, V. Tomás and C. López-Balsera — 123 — A simple photokinetic method for the determination of nitroprusside in biological and pharmaceutical samples

M. Moors and D. L. Massart — 129 — Evaluation of solid-phase extraction of basic drugs from human milk

D. K. Walker, G. W. Aherne, J. E. Arrowsmith, P. E. Cross, B. Kaye, D. A. Smith, D. A. Stopher and W. Wild — 141 — Measurement of the class III antidysrhythmic drug, UK-68,798, in plasma by radioimmunoassay

M. Girard, G. Carignan, N. Mousseau and B. A. Dawson — 151 — Chromatographic and spectroscopic characterization of sulphur-bound dimetridazole and ronidazole derivatives

D. Deleu, S. Sarre, P. Herregodts, G. Ebinger and Y. Michotte — 159 — Continuous intravenous monitoring of levodopa and 3-O-methyldopa by microdialysis and high-performance liquid chromatography with electrochemical detection

T. Wikberg — 167 — Simultaneous determination of levodopa, its main metabolites and carbidopa in plasma by liquid chromatography

R. Soto-Otero, E. Mendez-Alvarez, G. Sierra-Paredes, J. Galan-Valiente, E. Aguilar-Veiga and G. Sierra-Marcuño — 177 — Reversed-phase high-performance liquid chromatography method for the determination of bemegride in serum and brain tissue: pharmacokinetics and brain distribution of an intraperitoneal subconvulsive dose in rats

V. Gautier, F. Demotes-Mainard, M. Foureau and G. Vinçon — 183 — Micro-method for the determination of piperacillin in plasma by high-performance liquid chromatography

Short Communications

E. M. Abdel-Moety — 187 — Spectrophotometric determination of amoxycillin and dicloxacillin in binary mixtures and in capsules

M. J. Lagarda, V. Alonso de Armiño and R. Farré — 191 — The use of direct determination of chromium in human urine by electrothermal atomic absorption spectrometry in diabetic patients

C. P. Leung and K. C. C. Wong — 195 — Determination of homatropine hydrobromide in eye drops by second-order derivative spectroscopy

K. Nikolić and M. Medenica — 199 — Coulometric determination of sulphisomidine, sulphamethoxydiazine and sulphamoxole

D. Radulović, D. Pećanac, Lj. Živanović and S. Agatonović-Kuštrin — 203 — Investigation and spectrophotometric determination of the allprenolol hydrochloride–iron(III) complex in bulk drug and in dosage form

L. Cvitkovič, L. Zupančič-Kralj and J. Marsel — 207 — Determination of famotidine in human plasma and urine by high-performance liquid chromatography

Number 3

Full Papers

S. H. Norris, J. N. Johnstone, R. DeLeon and R. Rothlein — 211 — A competitive ELISA for the anti-intercellular adhesion molecule-1 (anti-ICAM-1) binding activity of monoclonal antibody R6.5 in serum

G. A. Saleh and H. F. Askal — 219 — Spectrophotometric determination of some pharmaceutical amides through charge transfer complexation reactions

B. Ogorevc and S. Gomišček — 225 — Electrochemical analysis of cephalosporin antibiotics

A. K. Dash and R. Suryanarayanan — 237 — A liquid-chromatographic method for the determination of tobramycin

K. Bauerová, L. Šoltés, Z. Kállay and K. Schmidtová — 247 — Determination of pentoxifylline in serum by high-performance thin-layer chromatography

B. Wichert, H. Schreier and H. Derendorf — 251 — Sensitive liquid chromatography assay for the determination of amikacin in human plasma

Short Communications

N. Kollias, J. M. Al-Hassan, M. Ali, J. A. Al-Saleh, A. Baqer, I. Sadiq and R. S. Criddle — 255 — Evaluation of toxicity of catfish skin toxin using diffuse reflectance methods

D. K. Morgan, D. M. Brown, T. D. Rotsch and A. C. Plasz — 261 — A reversed-phase high-performance liquid chromatographic method for the determination and identification of clarithromycin as the drug substance and in various dosage forms

B. Law and P. F. Chan — 271 — The selection of buffer salts for the high-performance liquid chromatography of basic compounds

Mingxin Qian, T. S. Finco and J. M. Gallo — 275 — Rapid and simultaneous determination of zidovudine and its glucuronide metabolite in plasma and urine. Application to the pharmacokinetic interaction of zidovudine and probenecid in the monkey

Number 4

Full Papers

I. J. Koski, B. A. Jansson, K. E. Markides and M. L. Lee — 281 — Analysis of prostaglandins in aqueous solutions by supercritical fluid extraction and chromatography

M. M. Bedair, M. A. Elsayed, M. A. Korany and O. T. Fahmy — 291 — Spectrophotometric determination of cimetidine in the presence of its acid-induced degradation products

H. F. Askal and G. A. Saleh — 297 — Spectrophotometric methods for the determination of sulphathiourea

J. A. Ryan, S. V. Compton, M. A. Brooks and D. A. C. Compton — 303 — Rapid verification of identity and content of drug formulations using mid-infrared spectroscopy

C. J. Lindemann, M. M. Singh, H. G. Ramjit, C. Bell and D. P. Ip — 311 — Determination of mevalonolactone in capsules by capillary gas–liquid chromatography

A. Balbi, E. Sottofattori, M. Mazzei and W. G. Sannita — 317 — Study of bioequivalence of magnesium and sodium valproates

L. J. Cline Love and J. J. Fett — 323 — Optimization of selectivity in micellar chromatographic procedures for the determination of drugs in urine by direct injection

Short Communications

O. T. Aloba, P. S. Adusumilli and A. G. Nigalaye — 335 — High performance liquid chromatographic analysis of a multicomponent product using a silica stationary phase and an aqueous–organic mobile phase

M. Wenk, L. Todesco, B. Keller and F. Follath — 341 Determination of dextromethorphan and dextrorphan in urine by high-performance liquid chromatography after solid-phase extraction

D. L. Reynolds and L. A. Pachla — 345 Liquid chromatographic analysis of the adenosine agonist PD 117519 in dog plasma

R. C. Luders, L. A. Brunner, L. Shum, H. D. Ross and H. Das — 351 Determination of CGS 15040A in human plasma by liquid chromatography

Number 5

Analytical Surveys

J. R. Lang and S. Bolton — 357 A comprehensive method validation strategy for bioanalytical applications in the pharmaceutical industry—1. Experimental considerations

T. J. Wozniak, R. J. Bopp and E. C. Jensen — 363 Chiral drugs: an industrial analytical perspective

Full Papers

C. González Pérez, I. González Martín and B. Rodríguez Vázquez de Aldana — 383 Polarographic determination of clavulanic acid

G. Kominami, S. Mori, M. Fujimoto and M. Kono — 387 Preparation and characterization of labelled interferon-γ and the development of radioreceptor assay for interferon-γ

A. A. Bouklouze, A. El-Jammal, G. J. Patriarche and G. D. Christian — 393 New modified polymeric electrodes selective to local anaesthetic compounds

V. Cavrini, D. Bonazzi and A. M. Di Pietra — 401 Analysis of flucytosine dosage forms by derivative UV spectroscopy and liquid chromatography

S. Li and W. C. Purdy — 409 Liquid chromatographic separation of phenothiazines and structurally-related drugs using a β-cyclodextrin bonded phase column

Short Communications

A. F. M. El Walily, M. A. Elsayed, M. H. Barary and S. M. Sabry — 417 Determination of the chromonar hydrochloride metabolite in urine using derivative spectroscopy

N. A. Zakhari, S. M. Hassan and Y. El-Shabrawy — 421 Colorimetric determination of beta-adrenergic blocking drugs with carbon disulphide and copper(I) ions

V. Maurich, M. Moneghini, M. Zacchigna, A. Pitotti and E. Lencioni — 427 High-performance liquid chromatographic assay of pancreatic lipase activity

433 Book Review

Number 6

Analytical Surveys

J. R. Lang and S. Bolton — 435 A comprehensive method validation strategy for bioanalytical applications in the pharmaceutical industry—2. Statistical analyses

N. H. Anderson, D. Johnston, M. A. McLelland and P. Munden — 443 Photostability testing of drug substances and drug products in UK pharmaceutical laboratories

Full Papers

R. Andersin — 451 Solubility and acid–base behaviour of midazolam in media of different pH, studied by ultraviolet spectrophotometry with multicomponent software

T. Järvinen, S. Auriola, P. Peura, P. Suhonen, A. Urtti and J. Vepsäläinen — 457 — Synthesis and identification of pilocarpic acid diesters, prodrugs of pilocarpine

V. M. Okujava, B. G. Chankvetadze, M. D. Rukhadze, M. M. Rogava and N. B. Tkesheliadze — 465 — Use of normal-phase microcolumn high-performance liquid chromatography for the study of hydrolytic stability, metabolic profiling and pharmacokinetics of an antiepileptic drug, benzonal

P. A. Soons, J. H. M. Schellens, M. C. M. Roosemalen and D. D. Breimer — 475 — Analysis of nifedipine and its pyridine metabolite dehydronifedipine in blood and plasma: review and improved high-performance liquid chromatographic methodology

H. Hooijerink, R. Schilt, W. Haasnoot and D. Courtheijn — 485 — Determination of clenbuterol in urine of calves by high-performance liquid chromatography with in series ultraviolet and electrochemical detection

Short Communications

A. Taylor, D. A. R. Williams and I. D. Wilson — 493 — Derivatized β-cyclodextrins combined with high field NMR for enantiomer analysis: application to ICI 185,282 (5(*Z*)-7-([2*RS*, 4*RS*, 5*SR*]-4-*o*-hydroxyphenyl-2-trifluoromethyl-1,3-dioxan-5-yl) heptenoic acid)

L. Bonhomme, D. Benhamou, E. Comoy and N. Preaux — 497 — Stability of adrenaline pH-adjusted solutions of local anaesthetics

L. C. Bailey, K. T. Tang and B. A. Rogozinski — 501 — The determination of 2,6-diisopropylphenol (propofol) in an oil in water emulsion dosage form by high-performance liquid chromatography and by second derivative UV spectroscopy

A. Avgerinos, G. Athanasiou and S. Malamataris — 507 — Rapid simultaneous determination of trimethoprim, sulphamethoxazole and acetylsulphamethoxazole in human plasma and urine by high-performance liquid chromatography

W. F. Kline, Y.-H. R. Han, B. K. Matuszewski and W. F. Bayne — 511 — Determination of (3-[1-(4-chlorobenzyl)-3-*t*-butyl-thio-5-isopropyl-indol-2-yl]-2,2-dimethylpropanoic acid), a novel leukotriene biosynthesis inhibitor, in human plasma and urine by liquid chromatography

Number 7

i — Obituary

A. F. Fell, C. M. Riley and D. H. Calam — iii — Editorial

H. van den Berg, G. Resplandy, A. Th. H. J. de Bie, W. Floor, M. Bertrand and C. J. M. Arts — 517 — A new radioimmunoassay for the determination of the angiotensin-converting enzyme inhibitor Perindopril and its active metabolite in plasma and urine: advantages of a lysine derivative as immunogen to improve the assay specificity

A.-M. I. Mohamed, H. Y. Hassan, H. A. Mohamed and S. A. Hussein — 525 — Use of 7,7,8,8-tetracyanoquinodimethane for spectrophotometric determination of certain local anaesthetics and procainamide hydrochloride

A.-M. I. Mohamed, H. F. Askal and G. A. Saleh — 531 — Use of *p*-benzoquinone for the spectrophotometric determination of certain sulphonamides

F. Randez-Gil, J. A. Daros, A. Salvador and M. de la Guardia — 539 — Direct derivative spectrophotometric determination of nitrazepam and clonazepam in biological fluids

Th. Cachet, K. de Turck, E. Roets and J. Hoogmartens — 547 — Quantitative analysis of erythromycin by reversed-phase liquid chromatography using column-switching

M. Tellier, R. J. Prankerd and G. Hochhaus — 557 — A new fluorogenic assay for tyrosine-containing peptides

P. K. F. Yeung, S. J. Mosher and P. T. Pollak — 565 — Liquid chromatography assay for amlodipine: chemical stability and pharmacokinetics in rabbits

W. Z. Zhong 573 Determination of 6-chloro-3-(3-cyclopropyl 1,2,4-oxadiazol-5-yl)-5-methyl-imidazo ⟨1,5-*a*⟩-quinoxalin-4(5*h*)-one in rat serum, urine and brain by solid-phase extraction and liquid chromatography

L. D. Thomas, D. Vander Velde and P. R. Schloerb 581 Optimum doses of deuterium oxide and sodium bromide for the determination of total body water and extracellular fluid

Short Communication
S. H. Hansen, C. Cornett, J. Hansen-Møller, L. L. Larsen and S. Vaaben 585 Isolation and identification of a new metabolite of diflunisal

Number 8

Special Issue: Chemometrics in Pharmaceutical and Biomedical Analysis: Proceedings from the International Symposium, November 1990, Stockholm, Sweden

A. F. Fell v Editorial

S. Wold 589 Chemometrics, why, what and where to next?

J. C. Berridge, P. Jones and A. S. Roberts-McIntosh 597 Chemometrics in pharmaceutical analysis

N. Kettaneh-Wold 605 Use of experimental design in the pharmaceutical industry

L. R. Snyder and D. C. Lommen 611 The use of a computer to select optimized conditions for high-performance liquid chromatography separation

J. B. Castledine, A. F. Fell, R. Modin and B. Sellberg 619 A multiwavelength approach to the selection of absorbance ratios for the assessment of chromatographic peak purity

H. Martens and E. Stark 625 Extended multiplicative signal correction and spectral interference subtraction: new preprocessing methods for near infrared spectroscopy

E. J. Karjalainen 637 Mathematical isolation of component spectra in HPLC/UV-vis and GC-MS. How unique are the resolved spectra?

M. Josefson and L. Tekenbergs-Hjelte 643 Multicomponent analysis: a case report

U. Edlund and H. Grahn 655 Multivariate data analysis of NMR data

H. E. Solberg 659 The selection of laboratory tests for organ dysfunctions using multivariate statistics

E. Jellum, M. Harboe, G. Bjune and S. Wold 663 Interpreting complicated chromatographic patterns

L. Ståhle 671 Relating multivariate time-series by linear three-way decomposition (LTD) and partial least squares (PLS) analysis

Number 9

Full Papers
J. M. Fernández-Romero and M. D. Luque de Castro 679 Kinetic determination of aspartate aminotransferase in human serum with a flow-injection/multidetection system

T. Cserháti and Z. Illés 685 Comparison of two principal component analysis methods to evaluate reversed-phase retention data

L. Seabra, J. M. Braganza and M. F. Jones 693 A system for the quantitative determination of hydrocarbons in human breath

H. Kataoka, K. Manabe, S. Nakase and M. Makita — 699 — Determination of hippuric acid and *o*-, *m*- and *p*-methylhippuric acids in urine by capillary gas chromatography

N. A. Zakhari, M. I. Walash, M. S. Rizk, S. S. Toubar, C. J. W. Brooks and W. J. Cole — 705 — Gas chromatographic assay of methyltestosterone in tablets

A. A. Elujoba, A. F. Fell and P. A. Linley — 711 — Chromatographic and spectroscopic analysis of bound and unbound phenolic acids in *Lagenaria breviflora* fruit

Weng Naidong, Sun Hua, K. Verresen, E. Roets and J. Hoogmartens — 717 — Assay and purity control of metacycline by thin-layer chromatography combined with UV and fluorescence densitometry—a comparison with liquid chromatography

T. Azcona, A. Martin-Gonzalez, P. Zamorano, C. Pascual, C. Grau and M. Garcia de Mirasierra — 725 — New methods for the assay of 5-isosorbide mononitrate and its validation

M. A. Abounassif, E. M. Abdel-Moety, M. E. Mohamed and E.-R. A. Gad-Kariem — 731 — Liquid chromatographic determination of amoxycillin and clavulanic acid in pharmaceutical preparations

T. Järvinen, P. Suhonen, H. Naumanen, A. Urtti and P. Peura — 737 — Determination of physicochemical properties, stability in aqueous solutions and serum hydrolysis of pilocarpic acid diesters

W. H. Soine, P. J. Soine and T. M. England — 747 — Barbital *N*-glucoside is not detected as a urinary excretion product of barbital in humans

P. J. M. Kwakman, D. A. Kamminga, U. A. Th. Brinkman and G. J. de Jong — 753 — Liquid chromatographic determination of oestradiol in serum by pre-column derivatization with dansyl chloride or laryl chloride and peroxyoxalate chemiluminescence detection

G. Hochhaus, H. Derendorf, H. Möllmann and J. Barth — 761 — A selective LC/RIA for dexamethasone and its prodrug dexamethasone-21-isonicotinate in biological fluids

Short Communications

S. Alegret, E. Martínez-Fàbregas and J. M. Paulís — 769 — Determination of phenylmercury(II) by photometric titration with dithizone in a mixed organic medium

F. Negretti and P. Casetta — 773 — Research on sterility and contamination controls of chemotherapeutic agents by membrane filtration method

I. Ramzan — 777 — High-performance liquid chromatographic method for the determination of CHEB, a convulsant barbiturate, in rat biological fluids/tissue

Correspondence

A. C. Sen, K. Matsuyama, S. Wanwimolruk and J. H. Perrin — 781 — Observations of conformational changes in human serum albumin following removal of fatty acid by charcoal

785 — Book Review

Numbers 10–12

Special Issue: Papers from the Third International Symposium on Pharmaceutical and Biomedical Analysis, 28 April–1 May 1991, Boston, Massachusetts, USA

Editorial — xi

Full Papers

A. F. Casy, A. D. Cooper, T. M. Jefferies, R. M. Gaskell, D. Greatbanks and R. Pickford — 787 — HPLC and ^{1}H-NMR study of chiral recognition in some thromboxane antagonists induced by β-cyclodextrin

C. J. Shaw and D. L. Barton — 793 — A direct HPLC method for the resolution of glycidyl tosylate and glycidyl 3-nitrobenzenesulphonate enantiomers

A. K. Mandagere, D. R. Osborne, V. Vaughn, B.-S. Kuo, T. N. Thompson, J. Chang, J. L. Battor, J. I. Geary and K.-K. Hwang — 797 — Determination of ML-1035 enantiomers in plasma by chiral high-performance liquid chromatography

Y. M. Ha, A. P. Cheung and P. Lim	805	Chiral separation of glycyrrhetinic acid by high-performance liquid chromatography
M. G. Quaglia, N. Desideri, E. Bossù, P. Melchiorre and C. Conti	811	Enantiomeric separation of substituted flavanoids by LC–DAD
P. M. Lacroix, S. J. Graham and E. G. Lovering	817	High-performance liquid chromatographic method for the assay of verapamil hydrochloride and related compounds in raw material
T. J. Difeo and J. E. Shuster	823	Determination of a process intermediate of celiprolol and its potential impurities by gradient high-performance liquid chromatography—application of high–low chromatography
S. Görög, G. Balogh and M. Gazdag	829	Estimation of impurity profiles of drugs and related materials. Part VIII: combined application of high-performance liquid chromatography and NMR spectroscopy in the impurity profiling of drugs
K. Hettiarachchi and A. P. Cheung	835	Capillary electrophoresis analysis of concanavalin A and its succinyl derivative
R. G. Bell	843	Separation and isolation of the isomers of bacitracin by high-performance liquid chromatography and their relationship to microbial activity
R. B. Miller	849	A validated high-performance liquid chromatographic method for the determination of atenolol in whole blood
P. D. Bryan and A. C. Capomacchia	855	Use of stop-flow oxalate ester chemiluminescence as a means to determine conditions for high-performance liquid chromatography chemiluminescence detection of retinoids using normal-phase chromatography
D. Pećanac, D. Radulović, Lj. Živanović and S. Agatonović-Kuštrin	861	Investigation of the pindolol–Fe(III) complex and its use in the spectrophotometric determination of pindolol in bulk drug and tablets
P. K. Dutta, D. Gillespie, K. Hammons, and M. A. Haney	865	Characterization of polyamino acids by use of GPC–viscometry technology
J. V. Amari, P. R. Brown, P. E. Pivarnik, R. K. Sehgal and J. G. Turcotte	871	High-performance liquid chromatographic analysis of 3′-azido-3′-deoxythymidine monophosphate diglyceride, an anti-HIV glycerophospholipid
Ph. Hubert, P. Chiap and J. Crommen	877	Automatic determination of diltiazem and desacetyldiltiazem in human plasma using liquid–solid extraction on disposable cartridges coupled to HPLC—Part I: optimization of the HPLC system and method validation
Ph. Hubert, P. Chiap and J. Crommen	883	Automatic determination of diltiazem and desacetyldiltiazem in human plasma using liquid–solid extraction on disposable cartridges coupled to HPLC—Part II: optimization of liquid–solid extraction
M. Telting-Diaz, M. T. Kelly, C. Hua and M. R. Smyth	889	High-performance liquid chromatographic determination of nifedipine, nicardipine and pindolol using a carbon fibre flow-through amperometric detector
M. Tugnait, F. Y. K. Ghauri, I. D. Wilson and J. K. Nicholson	895	NMR-monitored solid-phase extraction of phenolphthalein glucuronide on phenylboronic acid and C_{18} bonded phases
M. A. Miller and R. S. Geary	901	RIA-linked microdialysis sampling in the awake rat: application to free-drug pharmacokinetics of hydrocortisone
H. T. Karnes and C. March	911	Calibration and validation of linearity in chromatographic biopharmaceutical analysis
S. Agatonović-Kuštrin, Lj. Živanović, M. Vasiljević, D. Radulović and D. Pećanac	919	Statistical optimization applied to the spectrophotometric study of a tolmetin–copper(II) complex
D. von Baer, A. Momberg, M. E. Carrera, R. Arriagada and M. R. Smyth	925	Liquid chromatography with amperometric detection of some sulphonamides and their N_4-acetyl-metabolites in serum and urine
T.-M. Chen, K. Y. Chan, J. E. Coutant and R. A. Okerholm	929	Determination of the metabolites of terfenadine in human urine by thermospray liquid chromatography–mass spectrometry

B.-S. Kuo, J. C. Poole, A. Mandagere and K.-K. Hwang	935	Column-switching liquid chromatographic determination of ML-1035 sulphoxide and its sulphone and sulphide metabolites in rat urine
H. J. Chaves das Neves, M. D. R. Gomes da Silva and M. P. Rocha	941	Bioequivalence assessment of diltiazem preparations by means of discriminant analysis of data from solid-phase extraction and liquid chromatography
A. M. Vazquez Rodriguez, M. I. A. Peña, J. J. Lopez Ibor, M. G. Aguilera, Rosa Vinãs, I. Moreno and A. M. Vecino Morales	949	Clomipramine test: serum level determination in three groups of psychiatric patients
R. B. Miller	953	High-performance liquid chromatographic assay for the derivatized enantiomers of propranolol and 4-hydroxypropranolol in human plasma
F. T. Delbeke and M. Debackere	959	Urinary concentrations of codeine and morphine after the administration of different codeine preparations in relation to doping analysis
I. Rémy, P. Brossier, I. Lavastre, J. Besançon and C. Moïse	965	Potentiality of an organometallic labelled streptavidin–biotin system in metalloimmunoassay
S. M. Bonham Carter, J. M. Midgley, D. G. Watson and R. W. Logan	969	Measurement of urinary medium chain acyl glycines by gas chromatography–negative ion chemical ionization mass spectrometry
J. Gartzke and H. Jäger	977	The determination of antipyrine elimination in saliva by liquid chromatography
J. Gartzke, H. Jäger and I. Vins	981	A liquid chromatographic method for determination of theophylline in serum and capillary blood—a comparison
S. Schmitz, F. V. Warren and B. A. Bidlingmeyer	985	Analysis of carbamazepine and its 10,11-epoxide in serum by direct sample injection using surfactant containing eluents and column switching
J. H. Beijnen, P. L. Meenhorst, R. van Gijn, M. Fromme, H. Rosing and W. J. M. Underberg	995	HPLC determination of doxorubicin, doxorubicinol and four aglycone metabolites in plasma of AIDS patients
H. Gangopadhyay, G. A. Cordis, R. Jones, X. Liu and D. K. Das	1003	Capillary gas chromatography for the assessment of cholesterol oxides in the heart
S. E. Northcott, J. G. D. Marr, S. L. Secreast, F. Han and J. Dezwaan	1009	Solution chemistry and analytical characterization of ormaplatin
M. A. Czech, M. Meltzer and J. Mouskountakis	1019	Determination of Ro 14-4767 (Loceryl™) by LC using automated column switching with ultraviolet and electrochemical detection
R. Rao Gadde, E. F. McNiff and M. M. Peer	1031	High-performance liquid chromatographic analysis of chlorhexidine phosphanilate, a new antimicrobial agent
M. A. Raggi, L. Nobile and A. G. Giovannini	1037	Spectrophotometric determination of glutathione and of its oxidation product in pharmaceutical dosage forms
J. L. F. C. Lima, M. C. B. S. M. Montenegro and A. M. R. Silva	1041	Vitamins B_1 and B_6 tubular electrodes as FIA detectors; their use in the analysis of pharmaceutical products
M. Sokolić and M. Pokorny	1047	Comparative determination of salinomycin by high-performance liquid chromatography, microbiological and colorimetric methods in testing production processes and animal feed preparations
O. Bekers, J. H. Beijnen, M. J. T. Klein Tank, A. Bult and W. J. M. Underberg	1055	Effect of cyclodextrins on the chemical stability of mitomycins in alkaline solution
G. P. Kaijser, J. H. Beijnen, A. Bult, M. H. Hogeboom and W. J. M. Underberg	1061	A systematic study on the chemical stability of ifosfamide
F.-Y. Tsai, L.-F. Lui and B. Chang	1069	Analysis of diuretic doping agents by HPLC screening and GC–MSD confirmation

O. van Tellingen, J. H. Beijnen and W. J. Nooyen	1077	Analytical methods for the determination of vinca alkaloids in biological specimens: a survey of the literature
M. Bambagiotti-Alberti, S. Pinzauti, G. Moneti, P. Gratteri, S. A. Coran and F. F. Vincieri	1083	Characterization of *Sanguinaria canadensis* L. fluid extract by FAB mass spectrometry
P. A. D. Edwardson, M. Walker, R. S. Gardner and E. Jacques	1089	The use of FT-IR for the determination of stratum corneum hydration *in vitro* and *in vivo*
D. J. H. Trafford, R. D. Coldwell and H. L. J. Makin	1095	Gas chromatography–mass spectrometry in the investigation of on-column dehydration of steroid hormones during gas–liquid chromatography
G. Milch and É. Szabó	1107	Derivative spectrophotometric assay of acetaminophen and spectrofluorimetric determination of its main impurity
J. N. Miller, D. A. Palmer and M. T. French	1115	Flow injection immunoassay using a protein A immunoreactor
P. Fernandez-Hernando and J. N. Miller	1121	An on-line immunoassay method for theophylline using a protein A immunoreactor
K. Valkó and P. Slégel	1125	Relationships between nucleotide incorporation rates and molecular parameters obtained by molecular modelling and chromatography
M. L. Bowers	1133	A new analytical cell for carbohydrate analysis with a maintenance-free reference electrode
W.-Q. Tong, J. L. Lach, T.-F. Chin and J. K. Guillory	1139	Microcalorimetric investigation of the complexation between 2-hydroxypropyl-β-cyclodextrin and amine drugs with the diphenylmethyl functionality
Short Communications		
D. F. LeGatt, R. J. Audette, O. Youzwishen and T. Stewart	1147	Mexiletine determination in serum by capillary gas chromatography with nitrogen-selective detection
P. A. D. Edwardson, G. Bhaskar and J. E. Fairbrother	1151	Development of a quantitative FT-IR assay for the determination of a tackifier within the adhesive mass of a hydrocolloid patch
Lj. Živanović, M. Vasiljević, D. Radulović and S. Agatonović-Kuštrin	1157	Quantitative spectrophotometric assay of levodopa as its Pd(II) complex in water and dosage forms
J. L. del Estal, A. I. Alvarez, C. Villaverde, P. Coronel, S. Fabra and J. G. Prieto	1161	Effect of surfactants on Albendazole absorption
A. Farina, M. G. Quąglia, E. Bossù and P. Melchiorre	1165	Analysis of iododoxorubicin and its major impurity
G. Carlucci, P. Mazzeo and M. Bologna	1169	Imipenem in biological fluids analysed by derivative UV-spectrophotometry
J. H. Beijnen, P. L. Meenhorst, R. van Gijn, W. A. Hazelager, C. H. W. Koks and W. J. M. Underberg	1173	Gas chromatographic analysis, with electron capture detection, of the antifungal drug fluconazole in microvolumes of human plasma
G. Bioque, I. Ramis, J. Rosello-Catafau, O. Bulbena and E. Gelpi	1177	Application of liquid radiochromatographic techniques to the metabolic profiling of xenobiotically-mediated arachidonate metabolism
M. C. Caturla, J. Salomo, M. Soler, L. Martinez and R. Roser	1181	Validation of GC method to measure a new analgesic (E-4018) in biological samples. Comparison between HPLC and GC method
R. Bilek, P. J. Gkonos, M. A. Tavianini, D. G. Smyth and B. A. Roos	1185	Methods used in the study of TRH-like peptides in rat prostate